



NATURAL FLICKER


# Candle Light

Natural Flicker

# About Us

naturalflicker has a long history of focusing on decorative lighting fixtures. We have professional research and development, exterior designers, and export business personnel. We believe that innovation is the key to success!

Thanks to excellent product performance and stable quality, we have established long-term relationships with most customers. Your satisfaction is our top priority!



Our production factory is located in Foshan City, Guangdong Province, China, covering an area of 2500 square meters and employing hundreds of employees.

Having advanced testing equipment and product technology, as well as a comprehensive quality control system, we have good research, design, QC, and production capabilities in the field of decorative lighting and lighting

We believe that innovation is the key to success and prioritize product quality. In addition to providing high-quality products, we also provide customers with fast, complete, and personalized design and production services.

We warmly welcome domestic and foreign customers to contact us for mutual benefit and win-win cooperation

# LED Candle Light

**15** years  
Production Experience

**W**orld  
Sold worldwide

**OEM/ODM**  
Custom order

YEARS OF PRODUCTION EXPERIENCE


# NAIFEA

**CERTIFICATE**  
QUALIFICATION








## Candle Modle U


 **Size**  
(D) 38mm\* (H) 65mm


 **Waterproof**  
IP 54

 **Control mode**  
Bluetooth Remote controlled and Tuya App


 **Lighting effects**  
RGBW \ Amber \ Warm white

 **Luminous efficacy**  
130 lm/W

 **Led source**  
Lifespan 50,000 hrs

 **Built-in Li-ion Battery**  
Burning time:10~12 hours

 **Charging time**  
2 hours

 **Charging system**  
4 or 12 set wireless charging base



## Optional Colors

Warm White



Amber



RGBW



## Support & Control


 Bluetooth

 **tuya** APP control








## Candle Modle L


 **Size**  
(D) 34mm\* (H) 60mm


 **Waterproof**  
IP 54

 **Control mode**  
IR Remote controlled


 **Lighting effects**  
Amber \ Warm white

 **Luminous efficacy**  
130 lm/W

 **Led source**  
Lifespan 50,000 hrs

 **Built-in Li-ion Battery**  
Burning time:10~12 hours

 **Charging time**  
2 hours

 **Charging system**  
4 or 12 set wireless charging base



Candle light glowed softly in the darkness and the simulated flickering flame followed the candle light as if it were a real candle

## Optional Colors

Warm White



Amber




## Support & Control

 IR Remote controlled







## Candle Modle S


 **Size**  
(D) 40mm\* (H) 70mm


 **Waterproof**  
IP 54

 **Control mode**  
IR Remote controlled


 **Lighting effects**  
RGBW \ Amber \ Warm white

 **Luminous efficacy**  
130 lm/W

 **Led source**  
Lifespan 50,000 hrs

 **Built-in Li-ion Battery**  
Burning time:10~12 hours

 **Charging time**  
8 hours

 **Charging system**  
4 or 12 set wireless charging base



## Optional Colors

Warm White



Amber



RGBW



## Control

 IR Remote controlled






4" (D) 80mm\* (H) 100mm
5" (D) 80mm\* (H) 130mm
6" (D) 80mm\* (H) 148mm



## Candle Modle O

- Size**  
 3 sizes
- Waterproof**  
 IP 54
- Control mode**  
 IR Remote controlled
- Lighting effects**  
 RGBW \ Amber \ Warm white
- Luminous efficacy**  
 130 lm/W
- Led source**  
 Lifespan 50,000 hrs
- Built-in Li-ion Battery**  
 Burning time:12 ~ 13 hours
- Charging time**  
 8 hours
- Charging system**  
 4 set wireless charging base

## Optional Colors




## Control

IR Remote controlled







## Candle Modle M


 **Size**  
(D) 90mm\* (H) 160mm


 **Waterproof**  
IP 54

 **Control mode**  
IR Remote controlled


 **Lighting effects**  
Warm white 2000k

 **Luminous efficacy**  
130 lm/W

 **Led source**  
Lifespan 50,000 hrs

 **Built-in Li-ion Battery**  
Burning time:15~16 hours

 **Charging time**  
8 hours

 **Charging system**  
4 set wireless charging base



## Optional Colors

Warm White 2000k




## Control

 IR Remote controlled








## Candle Modle A


 **Size**  
(D) 38mm\* (H) 50mm


 **Waterproof**  
IP 54


 **Control mode**  
IR Remote controlled


 **Lighting effects**  
RGBW \ Amber \ Warm white

 **Luminous efficacy**  
130 lm/W

 **Led source**  
Lifespan 50,000 hrs

 **Built-in Li-ion Battery**  
Burning time:16 hours

 **Charging time**  
6-8 hours

 **Charging system**  
4 or 12 set wireless charging base



## Optional Colors

Warm White



Amber



RGBW



## Control

 IR Remote controlled









## Candle Modle D


 **Size**  
(D) 38mm\* (H) 50mm


 **Waterproof**  
IP 54

 **Control mode**  
IR Remote controlled


 **Lighting effects**  
RGBW \ Amber \ Warm white

 **Luminous efficacy**  
130 lm/W

 **Led source**  
Lifespan 50,000 hrs

 **Built-in Li-ion Battery**  
Burning time:16 hours

 **Charging time**  
6~8 hours

 **Charging system**  
4 or 12 set wireless charging base



## Optional Colors

Warm White



Amber



RGBW




## Control

 IR Remote controlled








## Candle Modle F


 **Size**  
(D) 40mm\* (H) 65mm


 **Waterproof**  
IP 54

 **Control mode**  
IR Remote controlled


 **Lighting effects**  
RGBW \ Amber \ Warm white

 **Luminous efficacy**  
130 lm/W

 **Led source**  
Lifespan 50,000 hrs

 **Built-in Li-ion Battery**  
Burning time:12~13 hours

 **Charging time**  
8 hours

 **Charging system**  
4 or 12 set wireless charging base



## Optional Colors

Warm White



Amber



RGBW




## Control

 IR Remote controlled








## Candle Modle J


 **Size**  
(D) 40mm\* (H) 70mm


 **Waterproof**  
IP 54

 **Control mode**  
IR Bluetooth Remote controlled


 **Lighting effects**  
RGBW \ Amber \ Warm white

 **Luminous efficacy**  
130 lm/W

 **Led source**  
Lifespan 50,000 hrs

 **Built-in Li-ion Battery**  
Burning time:14~16 hours

 **Charging time**  
6~8 hours

 **Charging system**  
4 or 12 set wireless charging base




## Optional Colors

Warm White



Amber



RGBW



## Control

 IR Remote controlled








## Candle Modle MP02-1


 **Size**  
(D) 38mm\* (H) 80mm

 **Waterproof**  
IP 54

 **Lighting effects**  
Amber \ Warm white

 **Led source**  
Lifespan 50,000 hrs

 **Use the battery**  
Runs on 4 x AAA batteries

 **Luminous efficacy**  
130 lm/W



## Optional Colors

Warm White




Amber







## Candle Modle MP02-2


 **Size**  
(D) 90mm\* (H) 160mm

 **Waterproof**  
IP 54

 **Lighting effects**  
Amber

 **Led source**  
Lifespan 50,000 hrs

 **Use the battery**  
Runs on 2 C Ir14 1.5 volt battery

 **Luminous efficacy**  
130 lm/W



## Optional Colors

Warm White 2000k





# Holder

Light up different life scenes, warm atmosphere makes us open our hearts, close the distance between each other.

## Frosted Holder

A variety of shapes are suitable for different occasions, whether indoor or outdoor use, there are always suitable for your needs



**CH01**  
76mm\*76mm\*(H)115mm



**CH02**  
(D)98mm\*(H) 94mm



**CH03**  
(D)80mm\*(H)129mm



**CH04**  
75mm\*75mm\*(H) 98mm



**CH05**  
(D)90mm\*(H)102mm



**CH06**  
80mm\*80mm\*(H)90mm



**CH07**  
(D)100mm\*(H)97mm



**CH08**  
(D)100mm\*(H)109mm



**CH09**  
78mm\*78mm\*(H)97mm



**CH10**  
80mm\*80mm\*(H)102mm



**CH11**  
80mm\*80mm\*(H)98mm



**CH12**  
71mm\*71mm\*(H)89mm




**CH24**  
(D)110mm\*(H)90mm



**CH25**  
(D)mm\*(H)115mm



**CH26**  
(D)110mm\*(H)90mm



**CH27**  
(D)115mm\*(H)90mm



**CH29**  
(D)82mm\*(H)125mm



(D)70mm\*(H)125mm  
(D)90mm\*(H)125mm

## Natural stone Holder

Natural stone has a unique natural texture can not copy the pattern, each is unique

## Remote Controller



RGB multicolor led cordless lamp offers  
12 optional colors operated by remote  
4 light modes

- Brightness control
- Flickering mode
- Static mode
- 4000K
- Turn on/off
- 4 hour time setting
- Smooth mode
- 2000K

For RGBW Multiple 16 Colors



RGB multicolor led cordless lamp offers  
12 optional colors operated by remote

- Turn on/off
- 4-hour time setting
- Smooth or flash mode
- Flickering or static mode
- Brightness control

For RGBW Multiple 12 Colors




Warm White or Amber

- Turn on/off
- 4 or 8 hour time setting
- Flickering or static mode
- Brightness control

For Single Color

## Bluetooth Remote control



- Turn on/off
- Brightness control
- Turn on/off
- Color temperature
- Scene Mode
- Group 1
- Group 2
- Group 3
- Group 4

- RGB Colors**  
Be Creative with 16 million colors
- Warm&Cool**  
2700k~4000K Light Color Temperature
- Scene Mode**  
Multiple scene lighting modes
- Countdown Mode**  
Trigger a programed task at your preset time
- Smart Control**  
Control the lighting function through APP
- Music Mode**  
Sound pickup through the phone's microphone allows the lights to change

## Smart Control

### Control the lighting function through APP

Tuya Smart App enables your device to be controlled remotely through the network.  
After you register or log in your account, you can manage your device at any time.

- Smart devices with Bluetooth and Tuya logos support APP Bluetooth or remote control

- Press the button on the bottom of the shape to turn it on to pair.
- Go into the Smart Life app, tap add device (Wifi).
- The indicator light should then be blinking rapidly, if it's blinking slowly, press and hold the reset button for 6 seconds.



Scan QR code below to install



## Adaptor Options For All Countries



### EU Adaptor Power

Input:AC100-240V ~ 0.4A 50/60Hz  
Output:DC5V  $\equiv$  2A  
Ip20



### US Adaptor Power

Input:AC100-240V ~ 0.4A 50/60Hz  
Output:DC5V  $\equiv$  2A  
Ip20



### AU Adaptor Power

Input:AC100-240V ~ 0.4A 50/60Hz  
Output:DC5V  $\equiv$  2A  
Ip20






### UK Adaptor Power

Input:AC100-240V ~ 0.3A 50/60Hz  
Output:DC5V  $\equiv$  2A  
Ip20

## Charging Base

Wireless Qi charger, inductive charging system avoids bothersome wiring. Just place lamps on the charger. Stable and efficient IC control ensure built-in battery to work smoothly.

-  Wireless Qi intelligent charging system
-  Red indicator shows the charging status
-  Green indicator shows the fully-charged status



### Induction Charging Base set of 4

 (L)121mm \* (W)110mm \* (H)39mm  5V-1A

Charging Base & linkable



Induction Charging Base Set of 12

(L)300mm \* (W)138mm \* (H)39mm 12V-1A



Induction Charging Base Set of 24

(L)300mm \* (W)268mm \* (H)39mm 12V-2A



Induction Charging Base - MP06-4

(L)210mm \* (W)225mm \* (H)30mm 5V-2A



Linkable

(L)210mm \* (W)450mm \* (H)30mm 5V-4A



Natural Flicker

**NATURAL FLICKER CO.,LTD.**

7F, Block #22, Haichuang, Xihai Erzhi, Beijiao, Shunde City, Foshan City, China 528312

**Contact landline**

+86 -0757-26606776

**Website:**

<https://www.naturalflicker.com/>

**E-mail:**

[info@naturalflicker.com](mailto:info@naturalflicker.com)